



Safety Data Sheet

The Armor All/STP Products Company

44 Old Ridgebury Road
Suite 300
Danbury, CT 06810
Tel. 1-203-205-2900

1. Product And Company Identification

Product Name: ARMOR ALL® Fierce Shine Tire Foam

Responsible Party: The Armor All/STP Products Company
44 Old Ridgebury Road
Suite 300
Danbury, CT 06810

Information Phone Number: +1 203-205-2900

Emergency Phone Number:

For Medical Emergencies, call 1-866-949-6465 / +1 303-389-1332 (Outside US and Canada)
For Transportation Emergencies, call 1-800-424-9300 (Chemtrec) +1-703-527-3887 for
Outside US and Canada (call collect)

SDS Date Of Preparation: 06/17/2015

Product Use and Uses Advised Against: Automotive maintenance product – For consumer and professional use

2. Hazards Identification

Note: This product is a consumer product and is labeled in accordance with the Consumer Product Safety Commission regulations and not OSHA regulations. The requirements for the labeling of consumer products take precedence over OSHA labeling so the actual product label will not contain the OSHA label elements shown below on this SDS.

GHS Classification:

Physical: Flammable Aerosol Category 1 Gases Under Pressure: Compressed Gas	Health: Eye Irritant Category 2A Skin Sensitizer Category 1
--	--

GHS Label Elements:



Danger!

Statements of Hazard	Precautionary Phrases
Extremely flammable aerosol. Contains gas under pressure; may explode if heated. Causes serious eye irritation. May cause an allergic skin reaction.	Prevention Keep away from heat, sparks, open flames, and hot surfaces. No smoking. Do not spray on an open flame or other ignition source. Pressurized Container. Do not pierce or burn, even after use. Avoid breathing mist, and vapors. Contaminated work clothing should not be allowed out of the workplace.



Safety Data Sheet

The Armor All/STP Products Company

44 Old Ridgebury Road
Suite 300
Danbury, CT 06810
Tel. 1-203-205-2900

Prevention Continued

Wash exposed skin thoroughly after handling.
Wear protective gloves, and eye protection.

Response

IF ON SKIN: Wash with plenty of water and soap.
If skin irritation or rash occurs: Get medical attention.
Wash contaminated clothing before reuse.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If eye irritation persists: Get medical attention.

Storage

Protect from sunlight. Do not exposure to temperatures exceeding 50°C / 122°F.

Disposal

Dispose of contents and container in accordance with local and national regulations

Hazards not otherwise specified: None

Percentage of unknown toxicity: N/A

3. Composition/Information On Ingredients

Component	CAS No.	Amount
Propellant (propane, isobutene, dimethyl ether)	74-98-6 / 75-28-5 / 115-10-6	1 - 5%
Alcohols, ethoxylated (C10-14, C10-16)	66455-15-0 / 68002-97-1	<1%
Morpholine	110-91-8	<1%
bis (1,2,2,6,6- Pentamethyl4-p peridiny) sebacate	41556-26-7	<1%

The specific identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

4. First Aid Measures

Inhalation: If symptoms of exposure develop, remove to fresh air. Seek medical attention if breathing problems or irritation persist.

Skin Contact: Rinse skin with plenty of soap and water. If skin irritation or rash develops, seek medical attention.

Eye Contact: Flush eyes with plenty of water for 15 minutes. If irritation or other symptoms persist, seek medical attention.

Ingestion: If the victim is fully conscious, have them drink a glass of water. Get medical assistance by calling a doctor or poison center. Never give anything by mouth to a person who is unconscious or drowsy.

Most Important Symptoms: Eye contact may causes irritation. May cause allergic skin reaction in some individuals.

Indication of Immediate Medical Attention/Special Treatment: Immediate medical attention should not be required.



Safety Data Sheet

The Armor All/STP Products Company

44 Old Ridgebury Road
Suite 300
Danbury, CT 06810
Tel. 1-203-205-2900

5. Firefighting Measures

Suitable (and Unsuitable) Extinguishing Media: Use dry chemical, carbon dioxide, foam, or water spray.

Specific Hazards Arising from the Chemical: Contents under pressure. Keep away from ignition source and open flames. Exposure of containers to heat and flames can cause them to rupture, often with violent force. Thermal decomposition will generate oxides of carbon, sulfur, nitrogen, and silicon; and formaldehyde.

Special Fire Fighting Procedures: Firefighters should always wear positive pressure self-contained breathing apparatus and full protective clothing. Cool fire-exposed containers with water. Use shielding to protect against bursting cans.

6: Accidental Release Measures

Personal Precautions, Protective Equipment, and Emergency Procedures: Eliminate all sources of ignition. Ventilate area with explosion proof equipment. Wear appropriate protective clothing and equipment.

Methods and Materials for Containment and Clean-Up: Place leaking can in a pail in a well-ventilated area away from ignition sources until pressure has dissipated. Collect liquid using inert material and place into a suitable container for disposal.

Environmental Precautions: Prevent entry into storm sewers and waterways. Report spill as required by local and national regulations.

7. Handling and Storage

Precautions for Safe Handling: Avoid contact with eyes. Avoid contact with skin, and clothing. Use with adequate ventilation. Wash thoroughly with soap and water after handling. Keep containers closed when not in use. Keep out of the reach of children. Do not puncture or incinerate containers.

Conditions for Safe Storage, Including any Incompatibilities: Store in a cool, well-ventilated area, away from incompatible materials. Do not store in direct sunlight or above 120°F. **U.F.C. (NFPA 30B) Level 1 Aerosol.**

8. Exposure Controls / Personal Protection

Exposure Guidelines:

CHEMICAL	EXPOSURE LIMIT
Propane	1000 ppm TWA OSHA PEL
Isobutane	250 ppm TWA ACGIH TLV
Dimethyl ether	1000 ppm TWA AIHA WEELs
Alcohols, ethoxylated (C10-14, C10-16)	None established
Morpholine	20 ppm TWA OSHA PEL (Skin) 20 ppm TWA ACGIH TLV (Skin)
bis (1,2,2,6,6- Pentamethyl4-p peridiny) sebacate	None established

Appropriate Engineering Controls: General ventilation should be adequate for normal use.

Personal Protective Equipment

Respiratory Protection: None under normal use conditions.



Safety Data Sheet

The Armor All/STP Products Company

44 Old Ridgebury Road
Suite 300
Danbury, CT 06810
Tel. 1-203-205-2900

Gloves: None normally required. Protective gloves recommended to avoid skin contact.

Eye Protection: None required for normal use. Eye protection recommended to avoid eye contact.

Other Protective Equipment/Clothing: None required under normal use conditions.

9. Physical and Chemical Properties

Appearance And Odor: Opaque, white, slightly viscous liquid with a mild solvent odor in an aerosol can.

Physical State: Liquid-based aerosol	Odor Threshold: Not determined
pH: ~ 9.0	Vapor Pressure: Not determined
Initial Boiling Point/Range: Not determined	Vapor Density: Not determined
Melting/Freezing Point: Not determined	Percent Volatile: Not determined
Solubility In Water: Easily soluble	Evaporation Rate: Not determined
Viscosity: ~ 30 cP	VOC Content: Not determined
Specific Gravity: ~1	Autoignition Temp: Not determined
Coefficient Of Water/Oil Distribution: Not determined	Flammability (solid, gas): Not applicable
Flash Point: >200°F (>93°C) (Closed Cup) (Liquid component) Propellant is a flammable gas.	Decomposition Temperature: Not available
Flammability Limits: LEL: 2.1% (Isobutane)	UEL: 27.0%(Dimethyl ether)

10. Stability and Reactivity

Reactivity: Not normally reactive.

Chemical Stability: Stable under normal storage and handling conditions.

Conditions to Avoid: Keep away from excessive heat, sparks and open flames. Containers may rupture at temperatures > 120°F (48.8°C).

Incompatible Materials: Strong oxidizing agents.

Hazardous Decomposition Products: Thermal decomposition will generate oxides of carbon, sulfur, nitrogen, and silicon; and formaldehyde.

11. Toxicological Information

Potential Health Effects:

Acute Hazards:

Inhalation: No adverse effects expected from the normal use of this product.

Skin Contact: May cause allergic skin reaction (sensitization) with itching or rash in susceptible individuals.

Eye Contact: Contact causes eye irritation with redness and tearing.

Ingestion: Ingestion is an unlikely route exposure for aerosol products. Swallowing may cause gastrointestinal disturbances.

Chronic Effects: None known



® Safety Data Sheet

The Armor All/STP Products Company

44 Old Ridgebury Road
Suite 300
Danbury, CT 06810
Tel. 1-203-205-2900

Carcinogenicity Listing: None of the components is listed as a carcinogen or potential carcinogen by IARC, NTP, ACGIH or OSHA.

Numerical Measures of Toxicity:

Propane:	LC50 Rat inhalation >800,000 ppm
Isobutane:	LC50 Rat inhalation 658 mg/l/4 hr.
Dimethyl Ether:	LC50 Rat inhalation 308 mg/l/4 hr.
Alcohols, ethoxylated (C10-14, C10-16) (Based on similar materials)	LD50 Rat Oral >1000 mg/kg LD50 Rat Dermal > 2000 mg/kg
Moroholine:	LD50 Rat Oral 1900 mg/kg LD50 Rabbit Dermal 500 mg/kg LC50 Rat inhalation 24 mg/l/4 hr.
bis (1,2,2,6,6- Pentamethyl4-p peridiny)l sebacate:	LD50 Rat Oral 3125 mg/kg

12. Ecological Information

Ecotoxicity: No ecotoxicity data is currently available for product.

Persistence and Degradability: No data available for product.

Bio accumulative Potential: No data available for product.

Mobility in Soil: No data available for product.

Other Adverse Effects: No data available

13. Disposal Considerations

Dispose of in accordance with all local, state/provincial and federal regulations. Offer empty containers for recycling.

14. Transport Information

DOT Hazardous Materials Description: UN1950, Aerosols, Class 2.1, Ltd Qty

IMDG Dangerous Goods Description: UN1950, Aerosols, 2.1, Ltd Qty

IATA International Air Transport Association: UN1950, Aerosols, Class 2.1, Ltd Qty

15. Regulatory Information

United States:

EPA TSCA INVENTORY: All of the components of this material are listed on the Toxic Substances Control Act (TSCA) Chemical Substances Inventory.



® Safety Data Sheet

The Armor All/STP Products Company

44 Old Ridgebury Road
Suite 300
Danbury, CT 06810
Tel. 1-203-205-2900

CERCLA Section 103: This product has no RQ. Many states have more stringent release reporting requirements. Report spills required under federal, state and local regulations.

SARA Hazard Category (311/312): Fire Hazard, Sudden Release of Pressure, Acute Health

SARA 313: This product contains the following chemicals subject to Annual Release Reporting Requirements Under SARA Title III, Section 313 (40 CFR 372): None

Canada:

Canadian Environmental Protection Act: All of the ingredients are listed on the Canadian DSL.

This SDS has been prepared according to the criteria of the Controlled Products Regulation (CPR) and the SDS contains all of the information required by the CPR.

16. Other Information

NFPA Rating (NFPA 704):	Health: 2	Fire: 4	Instability: 0
HMIS Rating:	Health: 2	Fire: 2	Physical Hazard: 0

DATE OF CURRENT REVISION: 06/17/2015

REVISION SUMMARY: Update to OSHA HazCom 2012 GHS format. Changes to all sections.

DATE OF PREVIOUS REVISION: 06/03/2014

DATA SUPPLIED IS FOR USE ONLY IN CONNECTION WITH OCCUPATIONAL SAFETY AND HEALTH